

Canal Current

A wave of information for Cape Coral's Canalwatch volunteers

Newsletter: 2nd Quarter 2018

Environmental News

Native Plant profile

Our Water Quality Issues

Many canals that border the Caloosahatchee River have been affected by the ongoing cyanobacteria bloom. The bloom originated in Lake Okeechobee and persisted downstream to the

Caloosahatchee Estuary. Unlike an algae bloom (phytoplankton), the cyanobacteria can produce toxins. Moreover, they can be persistent in the environment even after the bloom has subsided. The cyanobacteria bloom has been a continuing problem for all the communities along the Caloosahatchee River since June of this

Caloosahatchee River since June of this year. Extensive blooms such as these are an indication of excess nutrients in our waterways. There are many steps that need to be taken to right Florida's water quality dilemmas, but it's up to its citizens to make those actions a reality.

Be an environmental ambassador.

Consider your own property and how it fits into the ecosystem.

Be involved. Support stronger water quality regulations and projects that store and treat water for South Florida.

Be an informed voter. Elect candidates who support Florida's environment.

Questions? Comments? Let us know!

(239)574-0785

Harry: hphillips@capecoral.net Katie: kmcbride@capecoral.net

Southern Magnolia Magnolia grandiflora

Considered one of the essential trees of the south, the stately southern magnolia is a distinguishing natural indicator that one is south of the Mason-Dixon Line. One of its characteristics is its dark green glossy leaf surfaces with its rusty brown undersides. The flower of the southern magnolia is white or off white and is often described as lemon scented. The flowers are large and can be close to a foot in diameter on older growth trees.

Southern magnolias mature to about 60 feet in height and prefer rich soils that are well drained.

There are numerous "cultivars" available including specimens that are suitable for south Florida.



Do Alligators Equal Water Quality?

American alligators are often considered a symbol of Florida. Indeed, in times past they were ubiquitous to swamps, marshes and even coastal environments throughout Florida. Their prominence was equal to the habitat that Florida provided; wetlands. With the expansion of human settlements and the draining of swamp lands, the American alligator became a nuisance, or likewise, a hazard. In addition to habitat loss, hunting pressure would bring




the once foremost reptile of the swamp to bleak numbers. The Endangered Species Act of 1973 was instrumental in protecting one of the Southeast largest reptiles. Conservation efforts over the following decade brought back the American alligator from extinction and it was delisted in the late 1980's.

Development throughout South Florida continues, and with it, fragmented habitat for much of Florida's wildlife. However, while draining the swamp lands was an urgent strategy of the past, the attitudes towards wetlands have shifted in favor of their restoration and reestablishment.

The American alligator is a treasured feature of these wetlands. Considered an apex predator, there is a substantial pyramid of other inhabitants within American alligator territory to support such a full-bodied animal. American alligators are not selective in their diets. Ambushing all walks of life in the swamp satisfies this toothy carnivore. Nevertheless, those varying walks of life represent a many tiered flourishing system of organisms, that represent a heathy habitat. Of which often begins with good water quality.

Alligators still encroach on human communities, and while they are deserving of respect for their menacing nature, they are equally respectable for the suitable habitat vital to their continued survival. When enjoying one of Florida's numerous wild lands, or observing an alligator in manmade environments, such as canals or lakes, think to what is required to sustain that apex predator. A complex web of life that is structured on a healthy water quality foundation.

Both photos; Harry Phillips



	bd = be	low dete			benchr	nark num	bers: M	larked d	lata are i	in the hig	ghest 20	% of valu	ues four	id by Ha	and et. al	, 1988.			
	April 2018					May 2018							June 2018						
	NO2	NO3	NH3	TKN	T-N	T-P04	NO2	NO3	NH3	TKN		T-P04		NO3	NH3	TKN		T-P04	Avg
	<1.0	<1.0	none	set	<2.0	<0.46	< 1.0	<1.0	none	e set	<2.0	<0.46	< 1.0	<1.0	none	e set	<2.0	<0.46	TSI
3F							bd	bd	bd	0.5	0.5	0.07	bd	bd	bd	0.8	0.8	1.00	49.30
31							bd	bd	bd	0.4	0.4	0.06							36.81
5D	bd	bd	0.6	0.6	0.6	0.05	bd	bd	bd	0.5	0.5	0.03	bd	bd	bd	0.7	0.7	0.08	49.53
6F	bd	bd	bd	0.5	0.5	0.07	bd	bd	bd	0.5	0.5	0.07	bd	bd	bd	0.8	0.8	0.12	48.30
7E	bd	bd	0.5	0.5	0.5	0.09	bd	bd	bd	0.6	0.6	0.09	bd	0.16	bd	1.1	1.1	0.16	51.19
10C	bd	bd	bd	0.9	0.9	0.06							bd	bd	bd	0.5	0.5	0.06	51.87
11E	bd	bd	bd	0.6	0.6	0.12	bd	bd	0.2	0.7	0.7	1.00	bd	0.11	bd	1.1	1.1	0.16	51.12
12H	bd	bd	bd	0.4	0.4	0.08							bd	bd	bd	1.1	1.1	0.14	49.46
16E	bd	bd	bd	0.6	0.6	0.02	bd	bd	0.4	0.4	0.4	0.01	bd	bd	bd	0.7	0.7	0.03	37.64
16H	bd	bd	bd	0.6	0.6	0.05	bd	bd	0.2	0.6	0.6	0.01	bd	bd	bd	0.6	0.6	0.03	42.59
18J	bd	bd	bd	0.5	0.5	0.04	bd	bd	bd	0.4	0.4	0.02	bd	bd	bd	0.7	0.7	0.04	54.84
18K	bd	bd	bd	0.6	0.6	0.04	bd	bd	bd	0.5	0.5	0.01							51.47
18L	bd	bd	bd	0.6	0.6	0.09	bd	bd	bd	0.8	0.8	0.12	bd	bd	bd	0.8	0.8	0.13	52.84
18M	bd	bd	0.1	2.0	2.0	0.07	bd	bd	0.2	0.5	0.5	0.09	bd	bd	bd	0.6	0.6	0.03	54.66
19D	bd	bd	bd	0.7	0.7	0.09	bd	bd	bd	0.7	0.7	0.09							53.81
19K	bd	bd	bd	0.6	0.6	0.09	bd	bd	bd	0.7	0.7	0.09	bd	bd	bd	0.6	0.6	0.12	52.70
21D	bd	bd	bd	0.4	0.4	0.08	bd	bd	bd	0.6	0.6	0.07	bd	bd	bd	0.8	0.8	0.12	50.70
28D	bd	0.05	bd	0.8	0.8	0.05	bd	bd	bd	0.6	0.6	0.01	bd	bd	bd	0.9	0.9	0.10	43.77
38B	bd	bd	bd	0.6	0.6	0.04	bd	bd	bd	0.6	0.6	0.02	bd	bd	bd	0.7	0.7	0.03	56.50
41A	bd	bd	bd	0.5	0.5	0.02												\square	52.80
41B	bd	bd	bd	0.5	0.5	0.02	bd	bd	0.1	0.6	0.6	0.01	bd	bd	bd	0.9	0.9	0.04	38.76
45D	bd	bd	bd	0.4	0.4	0.02			_	_	_	_				_	_		37.59
48A	bd	bd	bd	0.3	0.3	0.02	bd	bd	0.2	0.4	0.4	0.01	bd	bd	bd	0.5	0.5	0.03	37.99
52B	bd	bd	bd	0.5	0.5	0.03													39.52
58B	bd	bd	bd	0.2	0.2	0.05													46.92
581	bd	bd	bd	0.3	0.3	0.04	bd	bd	0.3	0.5	0.5	0.04	bd	bd	bd	0.7	0.7	0.04	44.73
58J	bd	0.06	bd	0.5	0.5	0.04	bd	bd	bd	0.5	0.5	0.02	bd	bd	bd	1.1	1.1	0.03	48.95
59C	bd	0.08	bd	0.5	0.5	0.04	bd	bd	bd	0.4	0.4	0.02	bd	bd	bd	0.7	0.7	0.08	47.46
59D	bd	bd	bd	0.9	0.9	0.04	bd	bd	bd	0.4	0.4	0.02	bd	bd	bd	0.9	0.9	0.04	47.24

bd									0.3	0.3	0.05							32.1			
ьu	bd	bd	0.3	0.3	0.09	bd	bd	bd	0.3	0.3	0.07							32.1			
bd	bd	bd	0.3	0.3	0.08	bd	bd	0.2	0.6	0.6	0.08	bd	bd	bd	0.9	0.9	0.04	43.3			
bd	bd	bd	0.5	0.5	0.06													36.8			
bd	bd	bd	0.7	0.7	0.06	bd	bd	bd	0.6	0.6	0.02	bd	bd	bd	1.0	1.0	0.03	46.6			
bd	bd	bd	0.6	0.6	0.04	bd	bd	bd	0.5	0.5	0.03							45.81			
												bd	bd	bd	0.9	0.9	0.13	25.6			
bd	bd	bd	0.8	0.8	0.06	bd	bd	bd	0.4	0.4	<0.02	bd	bd	bd	1.2	1.2	0.08	50.9			
bd	bd	bd	0.4	0.4	0.08							bd	bd	bd	0.8	0.8	0.11	48.8			
bd	bd	bd	0.4	0.4	0.05	bd	bd	0.1	0.8	0.8	0.05	bd	bd	bd	1.2	1.2	0.10	49.0			
bd	bd	bd	0.5	0.5	0.06	bd	bd	0.2	0.6	0.6	0.07							45.11			
bd	bd	bd	0.5	0.5	0.02	bd	bd	0.1	0.6	0.6	0.02	bd	bd	bd	1.2	1.2	0.04	55.5			
bd	bd	bd	0.3	0.3	0.02	bd	bd	0.1	0.4	0.4	0.01	bd	bd	bd	1.0	1.0	0.03	49.5			
bd	bd	bd	0.5	0.5	1.00	bd	bd	bd	0.6	0.6	0.07	bd	bd	bd	1.1	1.1	0.17	57.0			
bd	bd	bd	0.8	0.8	0.03	bd	bd	0.3	0.7	0.70	0.01	bd	bd	bd	1.4	1.4	0.03	47.6			
	bd	0.50	0.50	0.50			bd	0.20	0.50	0.50	0.04		0.14	bd	0.85	0.85	0.07	48.57			
	0.08	0.60	2.00	2.00	1.00		0.00	0.40	0.80	0.80	1.00		0.16	0.00	1.40	1.40	1.00	57.05			
NO2 = Nitrite (inorganic) TKN = Total Kjeldahl Nitrogen (organic + NH4)					High levels of nutrients in our canals can indicate the presence of fertilizer						TSI = Trophic State Index, a quick indicator of canal health.TSI = Trophic State Index, a quick indicator of canal health.										
NO3 = Nitrate (inorganic) TN = Total Nitrogen (inorganic + organic)					runoff or effluent from wastewater or septic systems. Excessive nutrients						44 sites this quarter scored as GOOD (<60). zero sites scored FAIR (60-70), and zero scored POOR (>70).										
NH3 = Ammonia (inorganic) TPO4 = Total Phosphate					can lead to nuisance plant growth and algal blooms.						With the onset of the dry season canal conditions had a chance to recover from last summer's hurricane season. Although, red tide										
All nutrient concentrations shown in mg/L											conditions persist off the coast in the Gulf of Mexico. This dry										
														-				obee			
																		:-			
													agencies, throughout the state are studying both occurances. It is								
											_	_	w long t			,					
n	bd bd bd bd bd bd bd bd bd itrite (inc	bd b	bd	bd bd bd 0.5 bd bd bd 0.6 bd bd bd 0.8 bd bd bd 0.4 bd bd bd 0.4 bd bd bd 0.5 bd bd bd 0.6 itrite (inorganic) TKN = Total Kit (inorganic + organic + organic + organic)	bd bd bd 0.5 0.5 bd bd bd 0.6 0.6 bd bd bd 0.8 0.8 bd bd bd 0.4 0.4 bd bd bd 0.5 0.5 bd bd bd bd 0.3 0.3 bd bd bd 0.5 0.5 bd bd bd 0.8 0.8 bd bd bd 0.5 0.5 bd bd bd 0.8 0.8 bd bd 0.8 0.8 TKN = Total Kjeldahl Nitrogen (organic + NH4) TN = Total Nitrogen (inorganic) TP04 = Total Phosphate	bd bd bd 0.5 0.5 0.06 bd bd bd 0.7 0.7 0.06 bd bd bd 0.6 0.6 0.04 bd bd bd bd 0.8 0.8 0.06 bd bd bd 0.4 0.4 0.05 bd bd bd 0.5 0.5 0.06 bd bd bd 0.5 0.5 0.02 bd bd bd 0.3 0.3 0.02 bd bd bd 0.5 0.5 1.00 bd bd bd 0.8 0.8 0.8 0.03 bd bd bd 0.5 0.5 1.00 bd bd bd 0.5 0.5 1.00 bd bd bd 0.5 0.5 1.00 bd bd bd 0.8 0.8 0.8 0.03 bd 0.50 0.50 0.50 0.50 0.08 0.60 2.00 2.00 1.00 litrate (inorganic) TRN = Total Nitrogen (inorganic + NH4) TN = Total Nitrogen (inorganic) TPO4 = Total Phosphate	bd bd bd 0.5 0.5 0.06 bd bd bd bd 0.6 0.6 0.04 bd bd bd bd bd 0.8 0.8 0.06 bd bd bd bd bd 0.4 0.4 0.05 bd bd bd bd bd 0.5 0.5 0.06 bd bd bd bd bd 0.5 0.5 0.02 bd bd bd bd bd 0.3 0.3 0.02 bd bd bd bd bd 0.5 0.5 1.00 bd bd bd bd bd 0.5 0.5 1.00 bd bd bd bd 0.8 0.8 0.03 bd bd bd bd 0.5 0.5 1.00 bd bd bd bd 0.5 0.50 0.05 1.00 bd bd bd 0.50 0.50 0.50 0.05 1.00 bd bd bd 0.50 0.50 0.50 0.05 1.00 bd bd 0.50 0.50 0.50 0.05 1.00 bd bd 0.50 0.50 0.50 0.05 1.00 1.00 litrate (inorganic) TKN = Total Kieldahl Nitrogen (organic + NH4) runoff or efflue septic system can lead to nuital numonia (inorganic) TPO4 = Total Phosphate	bd bd bd 0.5 0.5 0.06 bd bd bd bd bd bd bd bd bd 0.8 0.8 0.06 bd	bd bd bd bd 0.7 0.7 0.06 bd	bd bd bd 0.5 0.5 0.06 bd bd bd 0.6 bd bd bd 0.5 bd bd bd bd 0.5 bd bd bd bd 0.5 bd bd bd bd 0.4 bd	bd bd bd 0.5 0.5 0.06 bd bd bd 0.6 0.6 0.6 bd bd bd 0.5 0.5 0.5 bd bd bd 0.4 0.4 0.4 bd bd bd bd 0.5 0.6 bd bd bd bd 0.5 0.6 0.6 bd bd bd bd 0.4 0.4 0.4 bd bd bd 0.5 0.5 bd bd bd 0.5 0.6 bd bd bd 0.5 0.5 0.6 bd bd bd 0.1 0.8 0.8 bd bd bd 0.5 0.5 0.06 bd bd 0.1 0.6 0.6 bd bd bd 0.5 0.5 0.02 bd bd 0.1 0.6 0.6 bd bd bd 0.5 0.5 0.02 bd bd 0.1 0.4 0.4 bd bd bd bd 0.5 0.5 0.5 0.02 bd bd 0.1 0.4 0.4 bd bd bd bd 0.5 0.5 0.5 1.00 bd bd bd 0.1 0.4 0.4 bd bd bd 0.5 0.5 0.5 1.00 bd bd bd 0.6 0.6 bd bd bd 0.5 0.5 0.5 1.00 bd bd bd 0.6 0.6 bd bd bd 0.8 0.8 0.8 0.03 bd bd 0.3 0.7 0.70 bd 0.50 0.50 0.50 0.50 0.50 bd 0.20 0.50 0.50 0.50 0.50 0.50 0.50 0.50	bd bd bd bd 0.5 0.5 0.06 bd bd bd 0.6 0.6 0.02 bd bd bd bd 0.4 0.4 0.4 0.08 bd	bd bd bd 0.5 0.5 0.06 bd bd bd 0.6 0.6 0.02 bd bd bd bd 0.6 0.6 0.04 bd bd bd 0.5 0.5 0.03 bd bd bd 0.8 0.8 0.06 bd bd bd 0.4 0.4 0.02 bd bd bd bd 0.4 0.4 0.08 bd bd 0.1 0.8 0.8 0.05 bd bd bd bd 0.5 0.5 0.06 bd bd 0.1 0.8 0.8 0.05 bd bd bd bd 0.5 0.5 0.02 bd bd 0.1 0.6 0.6 0.07 bd bd bd 0.3 0.3 0.02 bd bd 0.1 0.4 0.4 0.01 bd bd bd bd 0.5 0.5 0.02 bd bd 0.1 0.4 0.4 0.01 bd bd bd bd 0.5 0.5 0.02 bd bd 0.1 0.4 0.4 0.01 bd bd bd bd 0.8 0.8 0.03 bd bd 0.6 0.6 0.6 0.07 bd bd bd 0.8 0.8 0.03 bd bd 0.3 0.7 0.70 0.01 bd bd bd bd 0.50 0.50 0.50 0.05 bd 0.20 0.50 0.50 0.04 litrate (inorganic) TFN = Total Kjeldahl Nitrogen (organic + organic) TP04 = Total Phosphate Trophic State Inc runoff or effluent from wastewater or septic systems. Excessive nutrients can lead to nuisance plant growth and algal blooms. TSI = Trophic State Inc runoff or effluent from wastewater or septic systems. Excessive nutrients can lead to nuisance plant growth and algal blooms. TSI = Trophic State Inc value of the presence of fertilizer runoff or effluent from wastewater or septic systems. Excessive nutrients can lead to nuisance plant growth and algal blooms. TSI = Trophic State Inc value of the presence of fertilizer runoff or effluent from wastewater or septic systems. Excessive nutrients can lead to nuisance plant growth and algal blooms. TSI = Trophic State Inc value of the presence of fertilizer runoff or effluent from wastewater or septic systems. Excessive nutrients can lead to nuisance plant growth and algal blooms. TSI = Trophic State Inc value of the presence of fertilizer runoff or effluent from wastewater or septic systems. Excessive nutrients can lead to nuisance plant growth and algal blooms.	bd bd bd 0.5 0.5 0.06 bd bd bd 0.6 0.6 0.02 bd bd bd bd bd bd bd b	bd bd bd 0.5 0.5 0.06 bd bd bd 0.6 0.6 0.02 bd bd bd bd bd bd bd b	bd bd bd 0.5 0.5 0.06 bd bd bd 0.6 0.6 0.02 bd bd bd 1.0	bd bd bd bd 0.5 0.5 0.06 bd bd bd bd 0.6 0.6 0.02 bd bd bd bd 1.0 1.0	bd bd bd bd 0.5 0.5 0.06 bd bd bd bd 0.6 0.6 0.02 bd bd bd 1.0 1.0 0.03			

Free Gardening Series Schedule

All classes are held from 9:00 am - 10:30 am. Refreshments are provided.

Classes are provided by the Lee County Master Gardeners and the UF/IFAS Extension Service.

10/12 **Vegetable Gardening** with Adrienne Diaz

10/26 Name that Bug with Ralph Mitchell

11/02 **Plant Propagation** with Millisa Bell

11/16 Attracting Butterflies with Cheryl Anderson

11/30 **10 Worst Yard Mistakes** with Kraig Hankins

Classes are held at the Rotary Park Environmental Center. Please RSVP at 239-549-4606



Reminder: November sample collection will be on Wednesday, the 7th at Rotary Park Environmental Center for the November Event

City of Cape Coral Environmental Resources P.O. BOX 150027